Subject Index for Volume 19

MAIN ENTRY	PAGE
abscission, floral synchrony in	90
Ackerman, J. D.	24
aggregation, beetle	252
by frogs	306
Aide, T. M.	284
algae	194
Amazon	200, 245
Anacardiaceae	50
Andau, M.	370
ant, diversity	245
anthocyanins, selection for	40
ants, arboreal	245
as predators	376
leaf nesting	319
anurans, and mycobacteria	274
Appanah, S.	326
Apterostigma collare	319
Arita, H.	74
Armbruster, W. S.	64
arroyo forest, diversity	228
Arroyo, M. K.	32
Asclepias curassavica	86
Asilidae	180
Atelopus varius	306
Australia	7
Balslev, H.	191
Barfod, A.	191
bark eating, by squirrels	107
bats, as food	190
Becerra, J.	290
bee, population dynamics	176
beetle, reproduction	252
Bignoniaceae	140
biogeography	64
birds, density of migrants	267
xerophytic habitats	267
Birdsey, R. A.	17
Black, R. W., II	319
blue-green algae	194
Boggs, C. L.	301
Bombacaceae	74
Bosque, C.	267
Brammeier, S.	40
Brazil	140, 176, 190, 216, 255, 274, 376
breeding systems	24
breeding, seasonality	252
Bruguiera gymnorrhiza	377
Buschbacher, R. J.	200
cantharophily	191
Carapa	357
carrion insects, diversity	376
Carter, T. S.	255
Cassia reticulata	57
cattle productivity	200
Centris	57
cerrado	140
Clark, D. A.	236
Clark, D.B.	236
climbers, diversity	149
cloud forest	194, 290
coastal forest, diversity	228
Cochlospermum vitifolium	57
coconut, sexual dimorphism	282
colonization, by mites	301
Columbia	216
competition, between trees	357
conservation, anteaters	255
Copaifera pubiflora	32
Corlett, R. T.	122, 157, 286
Costa Rica	161, 167, 171, 188, 216, 236, 301, 306, 319, 357
Costaceae	90
Costus cylindricus	90
courtship, anteater	255
Crump, M. L.	306
cycad, reproduction	361
da Silva, M. d. S. B.	274
Dalchampia	64
Davidar, P.	137
de Carvalho, C. M.	274
de la Cruz, M.	98
de Leon, B.	342
De Steven, D.	342
decomposition, models	290
del Rio, C. M.	74
demography, plant	236, 284
Denlinger, D. L.	252
Denslow, J. S.	167
Dial, K. P.	185
diapause, beetle	252
dimorphism, sexual	1
Dipteryx panamensis	236
Dirzo, R.	98
dispersal, by elephants	50
pantropical	64
disturbance, and rodents	260
fire	157
fragmentation	176
montane forest	208
diversity, ants	245
non-tree	149
of rodents	260
seasonal forest	228
understory plants	216
Dobkin, D. S.	90
Dodson, C.	149
Dominican Republic	361
dry deciduous scrub forest	116
earthworms	370
Easton, E. G.	370
ecological release	1
ecosystem productivity, indicators	216
Ecuador	149, 216
egg protection, by insect	83
elephants, as seed dispersers	50, 365
Emmons, L. H.	216
endemism, of primates	373
endophytes	194
Epidendrum radicans	86
epiphyte, diversity	149
epiphytes	125, 194
Equiarte, L.	74
Euglossa	176
Eulaema	176
Eumecosoma	180

Euphorbiaceae 64
Eurema 7
evolution, convergent 1
exclusion experiments 208
extrafloral nectaries, distribution 140
Ezcurra, E. 290
Falco punctatus 1
fertility, understory plants 216
Ficus fistulosa 122
Ficus, epiphytes 125
figs, phenology 122
flower abscission, selection 90
flowering, of lianas 334
understory plants 216
fly, predation on frogs 306
food selection, squirrels 107
foraging, raptor 1
forest understory, composition 216
light quality 161
French West Indies 194, 297
Fritz-Sheridan, F. 194, 297
frogs, harlequin 306
frugivory, birds 116, 137
fruiting, phenology 50
proportion 24
fungus beetle 252
Gabon 278
gap colonization 326
gecko 1
Gentry, A. H. 149, 216
germination 50, 365
Ghana 365
giant anteater, behavior 255
Gilbert, L. E. 301
goats, herbivores 208
Goelthalsia 357
Gorilla gorilla 278
gorilla, feeding 278
Gould, E. 370
Gower, S. 171
grazing 200
Guadeloupe 194
Guaiacum sanctum 116
Guatemala 116
Hawaii 208
hawkmoths, as pollinators 310
Hazlett, D. L. 357
Hedyotis 286
Heliconia psittacorum 90
trinidatis 90
Heliconiaceae 90
hemi-epiphytes 125
Henderson, A. 191
herbivory, by gorillas 278
community patterns 98
interspecific variation 98
lepidopteran 64
life history 98
herbs, diversity 149
Hobdy, R. 208
home range, of anteaters 255
Houston, D. C. 376
intermediate hosts, for mycobacteria 274
introduced species 208
Ionopsis utricularoides 24
Isabirye-Basuta, G. 260
island succession 208
Ivory Coast 125
Jalisco 228
Japan 377
Johnson, L. K. 188
Jones, C. B. 373
Jones, R. E. 7
Jonsson, L. 310
Kasenene, J. M. 260
Kenya 185
kestral 1
koa parkland 208
Kondo, K. 377
Lantana 301
leaf production, of lianas 334
Lee, D. W. 40, 161
Leguminosae 32
Leitão-Filho, H. F. 140
Lentino, M. 267
lepidoptera 7, 301
Lesser Antilles 194
Lestrimelitta limao 188
Lewis, D. M. 50
liana, phenology 334
lichen 194
lichen, colonization 297
Lieberman, D. 365
Lieberman, M. 365
light flecks 161
measurement 161
quality 161
limbfalls, as source of mortality 284
litter, decomposition 290
Lott, E. J. 228
Lounibos, L. P. 83
Lugo, A. E. 17
Machado-Allison, C. E. 83
Machado-Neto, J. 255
Madagascar 310
Malaysia 326, 370
management, elephants 50
Mangifera indica 40
mangroves 377
Marantaceae, in gorilla diet 278
Martin, C. 365
Martin, R. F. 116
Mauritius 1
Mexico 74, 98, 228, 290
Michaloud, G. 125
Michaloud-Pelletier, S. 125
microepiphytes 194
microhabitats, emergent trees 236
microphyllae 194
migration, bird energy reserves 267
Mimosaceae 140
mites, flower-dwelling 301
Mok, Yin Wai 274
Montalvo, A. M. 24
montane forest 208
Moraceae 122, 125
mortality, density-independent 284
due to limbfall 284
sapling 284
seedling 236
mosquito, brooding 83
Mycobacterium chelonie 274
fortuitum 274
Myrmecophaga tridactyla 255

Mziray, W. R. 64
Nakamura, T. 377
Nambiquara Indians 190
nest defense, *Trigona* 188
nest robbing, by bees 188
New Guinea 157
Nilsson, L. A. 310
nitrogen fixation 194, 297
  soil 167
Notochaeta bufonivora 306
nutrient flux 200
Oliveira, P. S. 140
Orchidaceae 24, 310
orchids, angraecoid 310
organic matter 17
Ornduff, R. 361
Oryctanthus alveolatus 137
palm, phenology 342
Palmae 191, 342
Panama 57, 137, 161, 180, 216, 252, 284, 334, 342
Panogena lingens 310
parasitism, anurans and mycobacteria 274
Paratrechina caeciliae 319
pasture 200
Pentaclethra 357
Peru 216, 245
Pheidole fiorii 319
phenolics 40
phenology, reproductive 122, 342
  understory plants 216
  vegetative 342
Pheretima darnleiensis 370
pheromones, bees 188
Phoradendron quadranulare 137
phoresy 301
phosphorus, in soil 167
Phyllostomidae 74, 190
Phytelephas microcarpa 191
pleistocene refuges 373
pollination 24
  by bats 74
  by beetles 191
  deception 24
  disturbance effects 176
  by hummingbird 90
  intertaxon effects 74
  large bee 57
  mimicry 86
  of mangroves 377
  of orchids 310
  one-day flowers 90
  parasites 74
  resin attractant 64
population ecology, *Dipteryx* 236
population, fluctuation 260
Portécop, J. 194
Pounds, J. A. 306
Powell, A. H. 176
Powell, G. V. N. 176
predation, by robber flies 180
predation, on termite alates 185
predator escape, by frogs 306
primates 373
Proctolaelaps lobata 301
productivity 200
Pseudobombax ellipticum 74
Puerto Rico 17, 24
Putz, F. E. 326, 334, 342
Ralison, L. 310
Ramírez, N. 32
Randrianjohany, E. 310
regeneration, of trees 208
reproduction, resource limits 24
reviewers for *Biotropica* 94
Rhizophora mucronata 377
Rienks, J. 7
robber fly 180
rodent, density 260
Rogers, M. E. 278
roots, biomass 171
  and nutrients 171
Roubik, D. W. 57
Rubiaceae 286
Saito, N. 377
sarcophagidae 306
savanna 7, 140
Sazima, I. 190
scavengers 376
Sclerocarya caffra 50
Scowcroft, P. G. 208
Scytonema 297
seasonality, Lepidoptera 7
  of tree growth 357
  robber flies 180
secondary forest 17
seed dispersal 326, 365
  by birds 116, 137
  mistletoes 137
seed germination 286
seed predation, density effects 32
  distance effects 32
  variation 32
seed production, pollen excess 57
seedling, mortality 236
seeds, buried 326
selective tree harvest 260
Setz, E. Z. F. 190
sex ratio, of cycads 361
sexual dimorphism, coconut 282
Shaw, J. H. 255
Shelly, T. E. 180
shrubs, diversity 149
Silvertown, J. 282
Singapore 122, 286
Smith, A. P. 40
Snow, A. A. 57
soil nutrients 17
soil nutrients, effect on roots 171
soil type, effect on plant growth 167
soil, calcium 171
  effects on understory plants 216
  nutrients 167
  phosphorus 171
  alluvial 167
  derived from lava 167
Solís-Magallanes, J. A. 228
specialization, in pollination 310
spectral distribution 161
Stenotarsus rotundus 252
subalpine succession 157
subtropical forest 17
succession 326
  fire 157

montane forest 208
primary 297
Sundasciurus lowii 107
Tan, H. T. W. 286
Tanaka, Seiji 252
tannins, herbivore deterence 107
Tanzania 64
Tapinoma inrectum 319
Temple, S. A. 1
termites 185
Theobroma cacao 40
Trigona 188
Trinidad 90
Tsuruda, K. 377
Uganda 260
ungulates, herbivory 208
Vaughan, T. A. 185
Venezuela 32, 83, 200, 267
Viscaceae 137
Vitousek, P. M. 167
Vochysiaceae 140
volcano 194, 297
Weaver, P. L. 17
Wendelken, P. W. 116
West Africa 373
West Sumatra 107
Whitten, A. J. 107
Whitten, J. E. J. 107
Williamson, E. A. 278
Wilson, E. O. 245
Windsor, D. M. 334, 342
Wolda, H. 252
Wolfe, L. M. 86
Xylocopa 57
Yaguchi, Y. 377
Zambia 50
Zamia pumila 361
Zingiberaceae, in gorilla diet 278
Zygophyllaceae 116

Information for Contributors to BIOTROPICA

General. Manuscripts for consideration in BIOTROPICA may deal with any phase of tropical biology and with related subjects so long as the primary emphasis is tropical and biological. Preference will be given to papers devoted to the presentation and discussion of original research or to those containing significant review and interpretive qualities. Articles should be general enough to have some interest to tropical biologists at large and yet they should be sufficiently substantive to attract the specialist with contents of lasting value and significance for tropical biology. BIOTROPICA has no page charges for members of the Association for Tropical Biology, though voluntary contributions are most welcome. Page charges for non-members can be waived in some situations.

Manuscripts should be addressed to E. Raymond Heithaus, Editor, BIOTROPICA, Biology Department, Kenyon College, Gambier, Ohio 43022 U.S.A.

Preparation of the Manuscript. Papers should be neatly typewritten with wide margins and double-spaced throughout (including title, footnotes, acknowledgments, tables, literature citations, and figure legends). Manuscripts **must not** be typed on erasable bond. Tables, figure legends, and literature citations must be on separate sheets. An original typescript and two copies should be submitted. All pages should be numbered consecutively. Three copies of illustrations are required; original illustrations may be sent after acceptance. Page size is 8½ × 6¼ in (216 mm × 158 mm); illustrations may occupy any portion of the length. Width should be 3 in (76 mm) for single-column-wide illustration or 6¼ in (158 mm) wide to accommodate the two-column format.

Form and Style. Form and style can be determined from a recent issue of BIOTROPICA. Do not italicize any words except for genera, binomials, or trinomials. Only the initial word and proper nouns should be capitalized in headings, except that in the title to the article, each word five or more letters long may be capitalized. BIOTROPICA does not use headings for the introduction or the summary. Acknowledgments, if brief, may be included as a footnote to the title; longer acknowledgments should appear at the end of the paper preceding the Literature Cited section. Footnotes should be consecutively numbered throughout the paper. Although most submitted papers are in the English language, manuscripts using Spanish, Portuguese, German, or French may be submitted. English abstracts are required, and we encourage inclusion of abstracts in the language of the country in which the research was conducted.

Literature Citations. In citing literature, follow the exact form in BIOTROPICA; abbreviations of cited journals should agree, if possible, with the "World's List of Scientific Periodicals." Except to avoid ambiguity, only authors' initials are used. All references included in the Literature Cited section must be referred to in the text.

Tables. Tables should appear on separate sheets, numbered, and cited using Arabic numerals. Footnotes to titles and other parts of tables should be referred to using lowercase letters. Each table should be cited in the text. Double-space tables in the manuscript.

Legends. Legends for figures should be on separate sheets. These should be grouped in paragraphs according to the grouping of the figures themselves. Follow previous issues of BIOTROPICA for punctuation. Each figure must be cited in the text.

Illustrations. Drawings should be made using India ink. They need to be no more than 50 percent larger than the final printed size. Drawings to be grouped should be carefully planned accordingly with attention given to scale and techniques. Graphs may be drawn on light-blue lined coordinate paper. Use India ink for all lines which are to appear in the final reproduction.

Numerous separate illustrations cannot be accepted. All small illustrations must be economically grouped to occupy the least space consistent with good appearance. Line drawings and photographs must not be included in the same grouping owing to the different methods of reproduction. Groupings and single illustrations should be in the form of a rectangle.

Account must be taken of the reduction of illustrations to accommodate the size of pages in BIOTROPICA. The magnifications stated in legends to figures should take this reduction into consideration.

All unnecessary parts of illustrations should be trimmed (e.g., borders of photographs). Fit grouped illustrations together precisely, with no spaces between. Allow at least one-inch (25 mm) margin on all sides. Mount on heavy white cardboard using rubber cement. On the back of each mounted grouping, figure, drawing, or graph, the name of the author(s), abbreviated title of the paper, and the figure number(s) should appear for purposes of identification and arrangement. Ship illustrations flat: do not fold or roll.